



since 1961



Baltica

BALTICA Volume 37 Number 2 December 2024: 98–109

<https://doi.org/10.5200/baltica.2024.2.2>

Harnessing the distinctive qualities of Lithuanian natural mineral water for SPA services and human health

Lolita Rapolienė, Justina Raulušonytė, Erika Vasiliauskienė, Diana Šaparnienė, Artūras Razbadauskas, Giedrė Kurienė, Aelita Bredelytė, Inga Dailidienė*

Rapolienė, L., Raulušonytė, J., Vasiliauskienė, E., Šaparnienė, D., Razbadauskas, A., Kurienė, G., Bredelytė, A., Dailidienė, I. 2024. Harnessing the distinctive qualities of Lithuanian natural mineral water for SPA services and human health. *Baltica* 37 (2), 98–109. Vilnius. ISSN 1648-858X.

Manuscript submitted 15 March 2024 / Accepted 19 June 2024 / Available online 10 October 2024

© Baltica 2024

Abstract. Lithuania is rich in natural mineral waters and has a couple of centuries of history of using them for human health. The use of mineral water in medical SPAs has been popular since ancient times and continues to be important as a complement to modern medicine. Medical SPAs aim to achieve various health benefits by employing diverse types of mineral water with unique physicochemical compositions. The composition of mineral water used varies among different countries due to differences in hydrogeologic conditions, temperature, and chemical composition. While many countries have been investigating the properties of mineral water used for therapeutic purposes, scientifically grounded insights about the uniqueness of mineral water in Lithuanian medical SPAs are still limited. This study aims to investigate the physicochemical properties of mineral water used in Lithuanian medical SPAs and to evaluate their potential benefits for human health. To reach the research aim, a quantitative study was conducted in six of the most popular medical SPAs. The research results indicate that the mineral water used in medical SPAs is highly mineralized sodium chloride (salt) mineral water with significant calcium, magnesium, and sulphate levels. The mineral water is safe with regard to the presence of heavy metals. The tested mineral water could be used for the complementary treatment of nervous, rheumatic, skin, respiratory, cardiovascular, and metabolic disorders.

Keywords: *natural groundwater resources; balneotherapy; application in medical SPA*

✉ *Lolita Rapolienė (lolita.rapoliene@ku.lt)*,  *ORCID 0000-0002-5089-4095*;

Klaipėda University, Faculty of Health Sciences, Nursing Department, Klaipėda, Lithuania;

Justina Raulušonytė (justina.raulusonyte@gmail.com),  *ORCID 0009-0002-9045-4307*;

Vilnius University, Faculty of Medicine, Vilnius, Lithuania;

Erika Vasiliauskienė (er.vasiliauskiene@gmail.com),  *ORCID 0000-0002-1536-2595*;

Klaipėda University, Marine Research Institute, Klaipėda, Lithuania;

Diana Šaparnienė (diana.saparniene@ku.lt),  *ORCID 0000-0002-0597-3309*;

Klaipėda University, Faculty of Social Sciences and Humanities, Department of Social Geography and Tourism, Lithuania;

Artūras Razbadauskas (arturas.razbadauskas@ku.lt),  *ORCID 0000-0002-6524-5354*;

Klaipėda University, Klaipėda, Lithuania;

Giedrė Kurienė (giedremiliauskaite@gmail.com),

Klaipėda University Hospital, MD of Physical Medicine and Rehabilitation, Klaipėda; Lithuania;

Aelita Bredelytė (aelita.bredelyte@ku.lt),  *ORCID 0000-0002-5782-0937*;

Klaipėda University, Klaipėda, Lithuania;

Inga Dailidienė (inga.dailidiene@ku.lt)*,  *ORCID 0000-0001-7919-6090*;

Klaipėda University, Marine Research Institute; Lithuanian Business College, Klaipėda, Lithuania

*Corresponding author

INTRODUCTION

Mineral water, taken from nature, has been used for wellness and treatment since ancient times. The practice of bathing in mineral water has been a part of various cultures throughout history, with claims of potential health improvements such as soothing skin conditions, relieving muscle and joint pain, and promoting overall relaxation. In ancient Greece and the Roman Empire, recreational and salubrious usage of baths became so popular that it launched a term still used today, meaning “health through water”, in Latin: “sanitas per aquam”, or “SPA”. During the Renaissance, using baths for medicinal purposes started to regain popularity after a period out of the spotlight and began to be widely explored and scientifically evaluated during the 18th and 19th centuries.

Today, water therapy is being practiced in many countries that have a variety of mineral springs considerably different in their hydrogeologic origin, temperature, and chemical composition (Cacciapuoti *et al.* 2020). It is known that pure water (H₂O) does not exist in nature and all natural waters have some additional components – chemical elements. Mineral water is generally defined as waters with a content of total dissolved solids (TDS) of at least 1,000 mg/l, as well as natural waters with low mineralization if they contain one or several specific components that have a therapeutic effect on the human organism. The term “natural mineral water” is suitable for both natural springs and other underground continental waters with stable specific physical and chemical properties (Gomes 2013). Depending on the origin, the composition and temperature of chemical elements and the proven healing properties, natural mineral waters are recognized and called “healing mineral water” or “natural medicinal water”. Mineral water could be taken from springs (groundwater) or deep wells (geothermal water). All natural mineral waters are groundwater from a hydrogeological point of view.

The relaxation or treatment using natural mineral water is often referred to as balneotherapy (BT, Falagas *et al.* 2009), or crenotherapy (Linc *et al.* 2023), or hydrotherapy, or pelotherapy, or could be combined with other factors (talasotherapy, massages, physical therapy, etc.) and named SPA therapy or health resort medicine (e.g., in German: Kurortmedizin). The patients may either drink natural medicinal water (crenotherapy), bathe in natural medicinal water (hydrotherapy), inhale natural gases, or have some peloid packs (Gutenbrunner *et al.* 2010). All these are associated with clinical improvement in diseases of the skin, as well as respiratory, circulatory, digestive, and nervous systems, among others (Stier-Jarmer *et al.* 2015), providing analgesic, anti-inflammatory, antioxidative, sedative, and muscular rejuvenating effects.

Balneology, also called medical hydrology, is a field of science that studies the methods, applications, and effects of balneotherapy with healing mineral water (baths, drinking, and inhalations), mud, and gases to achieve therapeutic goals. It covers various disciplines: hydrology, hydrogeology, hydrochemistry, physics, microbiology, medicine, public health, health tourism, and etc. (Gomes 2013).

Today, mineral water is used to promote health and wellness. It is known to have a combined effect on the human body: thermal, mechanical, chemical, immunological, and psychological (Rapolienė *et al.* 2016; Fioravanti *et al.* 2017; Gálvez *et al.* 2018; Kardes, Karagülle 2020; Ziemka *et al.* 2019). Natural mineral bathing is widely used for various medical conditions, including musculoskeletal, autoimmune, dermatological, digestive, pulmonary, cardiovascular, peripheral vascular pathologies and neurological disorders (Proksch *et al.* 2005; Korczak, Owczarek 2014; Rapolienė *et al.* 2016; Costantino *et al.* 2019; Antonelli *et al.* 2021; Gebretsadik 2023; Ushiko-shi-Nakayama *et al.* 2024).

Natural healing waters can differ in their chemical content or their physical qualities, which matters for prescribing it for the treatment of certain diseases and with the expectation of a certain effect. There are several classifications of mineral water based on their composition. According to mineralization, mineral water can be of the following types: 1) water with elevated mineralization (1 to 5 g/l), used as drinking water; 2) water with medium mineralization (5 to 15 g/l), used in balneology and consumed as medicine; 3) water with high mineralization (15 to 35 g/l), used for therapeutic bathing; and 4) brines (35 to 150 g/l), used exclusively for bathing purposes (Komatina 2004; Valeriani *et al.* 2018).

The composition of chemical elements and mineral substance enables to classify natural mineral water as (I) bicarbonate mineral water, (II) sulphate mineral water, (III) chloride mineral water, (IV) calcic mineral water, (V) magnesian mineral water, (VI) fluorite mineral water, (VII) ferrous mineral water, and (VIII) sodium-rich mineral water and to have known effects on health (Quattrini *et al.* 2016; Latour 2017). According to the 2009/54/EC Directive (European Legislation 2009), physical and chemical characterization is used to make a classification of different mineral water (Van der Aa 2003; Casado *et al.* 2015).

It should be noted that not all waters are therapeutic, and their therapeutic properties are determined by the type and concentration of active biochemical components. There are certain requirements for the use of mineral water for humans in each country. For example in Lithuania, the following regulations are related to natural mineral water: the hygiene norms “Public health safety requirements for swimming

pools” (HN 109:2016), “Mineral and sea water for external use health safety requirements” (HN127:2010), and “Drinking water safety and quality requirements” (HN 24:2023).

Lately, many countries have been investigating the properties of water used for treatment in their local SPA centres. The need is growing due to the increasing attention to health and disease prevention using balneological procedures and natural resources for various therapies.

This study systematically examines and compares the natural mineral water of resort areas, offering informed recommendations for their optimal utilization. Focusing on Lithuania, the research delves into the distinctive qualities of its natural mineral waters, exploring their application for the advancement of SPA services and human well-being.

Nowadays, information about natural mineral water properties in such Lithuanian institutions is still limited. Our study aimed to assess and characterize the physico-chemical properties of mineral water used in Lithuanian medical SPAs and to evaluate potential benefits for human health. This study is related to a wider application of natural mineral water in the fields of healing and wellness.

RESEARCH AREA, MATERIALS AND METHODS

Groundwater is an integral part of the hydrosphere and is considered a valuable subsurface resource accumulated in the pores and fractures of rocks (Grigelis, Kadūnas 1994). Compared to surface water, groundwater has several advantages. It is naturally better protected from contamination, and it contains a higher concentration of dissolved minerals that are essential for human health (Kadūnas *et al.* 2018).

Lithuania is part of the Baltic Artesian Basin, the total area of which is 460 thousand km². About 200 thousand km² of the basin are under the Baltic Sea (Grigelis, Kadūnas 1994). Three structural parts are distinguished in the Baltic Artesian Basin: the central one, where the crystalline foundation sank at a depth of 500–5000 m, as well as the northern and south-eastern slopes of the artesian basin, where the crystalline foundation sank no deeper than 500 m. The crystalline foundation, which is also the foundation of the artesian basin, is covered by layered sedimentary rocks with different filtration properties. They are separated from each other by Triassic and Silurian-Ordovician regional aquicludes. Like other artesian basins, it is characterized by the vertical zonation of groundwater. Physical geographical conditions and the arrangement of geological layers determine the distribution of groundwater. In the lower part of the artesian basin, the aquifers are more compact, and

there is almost no vertical water circulation. Consequently, the conditions that existed in the geological past are more likely to be preserved here, leading to higher salt concentrations, greater chemical diversity, and elevated temperatures (Grigelis, Kadūnas 1994).

Geologists extensively study groundwater resources as one of the primary mineral resources of Lithuania. Researchers have summarized previous studies and present data on the mineralization of mineral waters, thermal water energy resources, and their main usage locations (Juodkapis 1992; Grigelis, Kadūnas 1994; Kadūnas *et al.* 2018).

In Lithuanian resorts (Druskininkai, Birštonas, Likėnai), mineral water has been used for therapeutic purposes in sanatoriums for over a hundred years (Grigelis, Kadūnas 1994). According to the same source, the mineral water from the Druskininkai and Birštonas deposits is associated with Triassic, Cretaceous, and Quaternary sediments, while the mineral water in Palanga is extracted from Paleozoic Devonian system rocks.

In Lithuania, as in many European countries, balneotherapy is widely used and included in national health systems due to the country’s abundance of natural mineral water resources. Balneotherapy (from Latin: *balneum* “bath” and Greek: *therapeia* “treatment, care”) refers to medical treatments using mineral water and is also utilized for preventive purposes. Compared to neighbouring countries, Lithuania is rich in natural mineral water and favourable geothermal conditions. The natural geothermal (from Greek: *geo* “earth” and *therme* “heat”) water resources are particularly suitable for exploitation in western Lithuania due to their specific physical thermal properties and high mineralization (Fig. 1). Water temperature is crucial in balneology (Grigelis, Kadūnas 1994). Mineral water with a temperature of 37–40 °C is highly valued, as it does not require heating and can be directly used in therapeutic treatments. As is well known, groundwater at such temperatures is found at depths of 900–1200 meters and is only present in the western part of Lithuania, west of the Central Lowland (Grigelis, Kadūnas 1994). However, the practical applications of this resource have been understudied, and its broader utilization in balneology remains limited.

Balneotherapy and wellness services offered in SPAs are considered one of the most promising sectors of health tourism in Lithuania. The studied mineral water is groundwater with a unique chemical composition, naturally formed in nature. The purpose of this study was to compare the physical and chemical properties of mineral water from different Lithuanian resort areas and to assess their potential impact on human health and their applicability in balneotherapy. The healing properties of mineral water depend on its




Fig. 1 The mineral water resources, mineralization, and their use in Lithuania. Number in triangle indicates the mineral water sampling site (modified from Rapoliene *et al.* 2024)

chemical composition, which determines the methods and indications for its therapeutic use.

In Lithuania, the mineral water utilized for balneology is recognized for its unique chemical composition and therapeutic properties. Several notable resorts in Lithuania employ mineral water for balneological purposes. The primary resorts include Druskininkai, Birštonas, and Palanga. The Druskininkai resort, operating since 1837, and the Birštonas resort, operating since 1846, have long-standing traditions in balneology. It should be noted that although the former Likėnai resort currently lacks official resort status, it is particularly noteworthy. The natural sulfide mineral water was exclusively used only in the former Likėnai resort. The Likėnai balneology resort was founded in 1890, and until 1960, “Smardonė” spring water, which contained about 3–6 mg/l of hydrogen sulfide, was used for treatment there (Grigelis, Kadūnas 1994). According to the same resource, Palanga is the youngest balneological resort in Lithuania, where the first well named “Palanga” was drilled in 1959. Historically, for several centuries, this resort has been known as a climatic resort located by the Baltic Sea, characterized by a maritime climate typical of the Baltic region.

This study analyzed three Lithuanian resort areas (Palanga, Birštonas, Druskininkai) that use deep well mineral water for SPA services. All six samples were taken from medical SPA centres exploiting geological wells (Fig. 1, Table 1). The geological wells vary in depth and have a differing number of aquifer layers. Information about the wells was obtained from the Lithuanian Geological Survey under the Ministry of the Environment of Lithuania. Research on the quality and health safety of natural mineral water resources was conducted as part of the Lithuanian Science Council (LMT) project LUGISES, “Efficiency and safety of using unique natural resources of Lithuania to improve the mental and physical health of the body related to stress” / S-REP-22-6. Quantitative research of 6 mineral water used in 6 Lithuanian medical SPAs was conducted in the certified laboratory in February–March 2023 (probes 1, 2, 3, 5, and 6) and September 2019 (probe 4). Data on the physical and chemical qualities of mineral water were obtained. All medical SPAs use mineral water from their wells. In Lithuania, the quality of therapeutic waters is controlled by the Lithuanian National Public Health Centre under the Ministry of Health of Lithuania.

Table 1 Information about sampled mineral water wells

No. of sample / SPA centre	Well No. (in LGS GF)	Coordinates (1942, ellipsoidal)	Well depth, m	Aquifer explored, depth, m (top/bottom)	Lithology of aquifer/ geological age (period, epoch)	Name of location	Resort (city)	Year of drilling
1	54342	54°01'04,57" 23°58'59,61"	318.0	269.0/317.0	Sandstone/T ₁	“Draugystė” Sanatorium	Druskininkai	2013
2	38047	54°01'32,2" 24°01'15,19"	321.0	290.0/321.0	Clay, sandstone, granite/ PR-T ₁	“Eglė” Sanatorium	Druskininkai	2005
3	17230	54°36'06,63" 24°02'05,78"	306,0	248.0/304.0	Sand, clay, sandstone, marl/P ₂ -T ₁	“Tulpė” Sanatorium	Birštonas	1966
4	18778	54°36'06,8" 24°01'40,98"	315.0	245.0/257.0	Sandstone, clay/T ₁	“Vermė” Sanatorium	Birštonas	1976
5	70580	55°56'31,19" 21°04'26,97"	570.0	522.0/567.0	Clay, sandstone/ D ₂ -D ₃	“Gradiali” Sanatorium	Palanga	2019
6	10880	55°30'32,78" 21°19'11,28"	2154.0	1989.3/2134.2	Sandstone aleuro-lite, clay/Cm	“Atostogų parkas” SPA Centre	Klaipėda district	1970

Geological age (period, epoch) of aquifer: PR – Proterozoic, Cm – Cambrian, D₂-D₃ – Middle and Late Devonian, P₂ – Late Permian, T₁ – Early Triassic. LGS GF – Geological Fonds (Archive) in the Lithuanian Geological Survey.

The samples of mineral water were taken, preserved, transported, and analyzed according to the requirements of Lithuanian Standards Board (LST) and ISO standards. Separate samples were taken for pH, hardness, anions, cations, SiO₂, PO₄, CN, Fe, heavy metals, and Hg. Membrane filters, verified according to the requirements of LST ISO 7704, were used for filtration. The assessment of heavy metals (As, Ba, Cd, Cr, Cu, Mn, Ni, Pb, Sb, Se, Hg) in mineral water from five medical SPAs (samples 1, 2, 3, 5, 6) was conducted using atomic absorption spectrometry with a graphite furnace.

The mineralization of the samples was compared with the established legal standards of Lithuania and Europe. The main biological functions of the mineral found in the studied waters and its possible application are directly associated with specific mineral compositions of water. In this paper, based on the mineralization studies and other scientists' research results, we determined and recommended the possible applicability of different mineral water sources in the main human biological functions in the body. The article discusses natural medicinal resources, their chemical composition of mineral water, and their therapeutic applications. Classifications of medicinal mineral water were searched and reviewed in the National Library of Medicine (PubMed, more information: <https://pubmed.ncbi.nlm.nih.gov>). It was mainly based on the type of mineral water and its therapeutic dose (Table 2) according to the 2009/54/EC Directive (European legislation 2009) and the classification of medicinal mineral water (modified Papp's system) (Varga 2010). These studies are important to ensure that mineral water meets all health and safety standards and can be widely used in both balneology and other wellness fields.

Table 2 Type of mineral water and its therapeutic dose according to the 2009/54/EC Directive (European legislation 2009)

Type of mineral water	Main chemical composition formula	Therapeutic dose
Bicarbonate mineral water	HCO ₃ ⁻	> 600 mg/l
Sulphate mineral water	SO ₄ ²⁻	> 200 mg/l
Sulphurous mineral water	S ²⁻	> 1.0 mg/l
Calcic mineral water	Ca ²⁺	> 150 mg/l
Magnesiatic mineral water	Mg ²⁺	> 50 mg/l
Fluorurate mineral water	CaF ₂	> 1 mg/l
Ferrous mineral water	Fe ⁺	> 1 mg/l
Sodium-rich mineral water	Na ⁺	> 200 mg/l
Low-sodium mineral water	Na ⁺	< 20 mg/l

RESULTS

The samples from Druskininkai, Birštonas, and Palanga resorts exhibited a diverse range of content and composition of mineral substances and chemical elements, making them suitable for various therapeutic applications. Their high mineralization levels, particularly in terms of sodium, calcium, and chloride, suggest a significant therapeutic potential, especially for conditions requiring these minerals.

A country's natural mineral water is one of the main natural medicinal and human health resources. Our study revealed the mineral waters used in 6 medical SPAs were of high mineralization – brine, low acidic-alkaline, sodium, calcium, magnesium, sulphate-rich chloride mineral water in significant quantities of potassium, and bromium. The composition of mineral water used in SPA treatment is provided in Table 3, which is compiled based on the mineral composition determined by the laboratory analysis of water samples from six places where Lithuanian mineral water is found (Fig. 1).

Mineral waters used in medical SPAs were 16.8–82.5 g/l TDS, which corresponds to high-very high mineralization and brine mineral water, and according to HN 127:2010 (HN, 2010) can be used undiluted or diluted with tap or lower mineralization water for high (15–35 g/l) and very high (> 35 g/l) mineralization baths. Most abundant cation in tested waters was sodium followed by calcium and magnesium, most abundant anion was chloride followed by sulphate, the richest in sodium as well as calcium and chlorine were waters from the 1st and 6th centres; big amounts of magnesium were in the 1st–4th and 6th centres; potassium, boron and bromide were a few times richer in the 6th centre than in others; the 1st and 4th centres were the richest in sulphur; and the 2nd and 3rd in silica; and the most carbonated waters were from the 3rd and 5th centres.

When assessing with the modified Papp's system, all of the centres' water could be classified as chlorinated (saline), as Na⁺ was the dominant cation and t Cl⁻ was the dominant anion. The waters of the 1st centre can also be classified as ironic (ferrous) because the amount of Fe²⁺ was higher than 10 mg/l. The water of the 6th centre could also be classified as ironic; however, as the value of Fe²⁺ for this centre is missing the conclusion cannot be made. None of the centres' waters were sulphuric nor sulphated or carbonated, but had a high bromide concentration, especially the 6th centre.

The analyzed samples differ in mineralization and are classified differently, as it is known (Juodkakis 1992) that mineral water from all balneological groups forms under various and complex hydrogeodynamic and hydrogeochemical conditions, complicated by tectonic faults, erosional incisions, and lithological rock changes. The mineral water from Druskininkai (samples 1 and 2) and Birštonas (samples 3 and 4) is associated with Triassic, Cretaceous, and Quaternary deposits, whereas in Palanga (samples 5 and 6), the mineral water is extracted from Paleozoic Devonian system rocks (Grigelis, Kadūnas 1994). The geological wells vary in depth and have differing numbers and depths of aquifer layers (Table 2). Mineral water is classified into balneological groups. Based on the results of this study, the mineral water from the studied resorts can be assigned to the following classifications (Table 4 and Fig. 2).

Table 4 summarizes the classification of mineral water samples from Druskininkai, Birštonas, and Palanga based on their mineralization levels and chemical composition. The samples from Druskininkai (samples 1 and 2) are classified as very highly mineralized waters (> 35 g/l) and are characterized as chloride sodium waters with high calcium, magnesium, and sulfate content. Similarly, Palanga's sample 6 is also classified as very highly mineralized (brine) water with the same chemical characteristics. In con-

Table 3 Classification of sampled mineral waters according to the Nauheim Congress (1911) and changes in Salzuffen (1934) and the Polish Ministry of Health Regulation (2006) (Ziemska *et al.* 2019). Samples: 1, 2 – Druskininkai; 2, 3 – Birštonas; 5, 6 – Palanga (for location see Fig. 1)

Parameters (mg/l)	1	2	3	4	5	6	Element values (HN 2003; European Legislation 2009)	European SPAs Association minimum standards (ESPA 2022)
Cations								
Na ⁺	15446	9016	4210	4020	4274	22100	> 200	/
K ⁺	133	73.0	93.9	88.1	157	518	/	/
Mg ²⁺	1387	1166	1259	1400	417	1948	> 50	150
Ca ²⁺	3453	2800	1969	2080	1267	6302	> 150	500
Fe (total)	18.0	6.42	0.31	0.30	0.11	10.1	/	/
Fe ²⁺	16.8	0.9	0.09	0.26	0.04	/	> 1	20
Anions								
Cl ⁻	32075	21000	12350	12500	8650	49900	> 200	8.5 g
SO ₄ ²⁻	2642	1675	1673	2046	1862	1647	> 200	1200
HCO ₃ ⁻	46.6	92.5	110	29.9	119	< 10	> 600	1300
CO ₃ ⁻	< 0.01	0.01	0.05	< 0.01	0.07	< 0.01	/	/
Br ⁻	81.8	52.5	46.2	46	47.5	270	/	/
F ⁻	/	/	/	0.48	/	/	> 1	1
Others								
SiO ₂	6.1	8.2	8.3	/	7.2	< 2	/	/
Boron, B	1.13	0.54	1.71	/	2.25	7.95	/	/
H ₂ S	< 0.05	< 0.05	< 0.05	/	< 0.05	< 0.05	/	1
Overall mineralisation	55221	35837	21667	22213	16750	82445	/	/
Dry residue (180°C)	55197	35791	21612	22198	16691	82445	/	/

/ – missing or not specified value.




Fig 2 Concentrations of ions in different samples

Table 4 Classification of mineral water samples from Druskininkai, Birštonas, and Palanga based on their mineralization levels and chemical composition

Location	Sample No	Mineral water type	TDS, g/l	Main chemical composition
Druskininkai	1	Very high mineralization /brine	> 35	Chloride sodium water with high calcium, sulphate, magnesium, and ferrous content
	2	Very high mineralization /brine	> 35	Chloride sodium water with high calcium, sulphate, and magnesium content
Birštonas	3	High mineralization	15–35	Chloride sodium water with calcium, sulphate, and magnesium content
	4	High mineralization	15–35	Chloride sodium water with calcium, sulphate, and magnesium content
Palanga	5	High mineralization	15–35	Chloride sodium water with high calcium, sulphate, and magnesium content
	6	Very high mineralization/brine	> 35	Chloride sodium water with high calcium, sulphate, and magnesium content

trast, the samples from Birštonas (samples 3 and 4) and Palanga's sample 5 are classified as highly mineralized waters (15-35 g/l), also contained significant amounts of calcium, magnesium, and sulfate. This classification (Table 4) was formed following the guidelines as referenced by Ziemska et al. (2019), Lithuanian hygiene norm HN 127:2010. The table summarizes the findings from the current study, comparing the mineralization and chemical composition of the water samples, which are essential for their balneological application.

The results are compared with the hygiene norms applied in Lithuania for water pools where balneotherapy procedures are performed (Table 5). The pH of mineral water ranged from 5.71 (6th centre) to 7.54 (5th centre). According to HN 127:2010, the mineral water is classified as low acidic from the 1st and 6th centres, neutral from the 2nd, and low alkaline from the 3rd, 4th, and 5th centres. The pH values met the pool requirements in the balneological therapy. Regarding the parameters set for the pools, the smell was acceptable and the permanganate number of mineral water did not exceed the normal limit (it was lower in the 6th centre, possibly because the water was more acidic). The water of the studied samples differed in

colour (more colourful, natural), all samples had a higher ammonia concentration, and the 1st, 2nd, and 6th samples exhibited higher turbidity, while the 3rd, 4th, and 5th samples showed lower pH values.

The study highlighted that the amounts of heavy metals in the investigated mineral water (Table 5) only partially met the safety requirements of natural mineral water. Elements such as As, Cd, Ni, Pb, Sb, Se, and Hg were below the minimal measurable limit. Ba, Cr, and Cu fluctuated more between the centres, but none was above the threshold concentration value according to hygiene standards HN 28:2003 (V–758, 2003). According to this Lithuanian hygiene norm, the highest concentration of Mn was found in SPA centre No. 1 (2300 µg/l), which exceeds the maximum limit (500 µg/l) by four times. Elevated concentrations of Mn were also found in centres No. 2, 4, and 6, containing 740 µg/l, 600 µg/l, and 520 µg/l of Mn, respectively. In most cases, the lowest heavy metal content was in centre 3 (except for Cu) and centre 5 (except for Ba).

This study of mineral water facilitates a more accurate planning for the use of mineral water in SPA centres. The applicability of mineral water was reviewed based on its appropriate mineralization for the

Table 5 Organoleptic, physical, and chemical pollution parameters in mineral water

Parameters \ Centres/water samples	1	2	3	4	5	6	Parameters for pool water (HN, 2005; HN 2016)
Colour, mg/l Pt	3	6	4	3	4	4	0.5
Smell points (acceptable, no significant changes, +)	+	+	+	+	+	+	< 3 (moderate) on a 5-point scale
Hydrogen ion concentration, pH	6.53	6.84	7.49	7.27	7.54	5.71	Recommended pH: 7.2–7.8 with chlorine compounds, 7.2–8.0 with bromine compounds
Turbidity, NTU	37	25	1	1	< 1	12	Less than 0.5
Ammonia (by NH ₄ ⁺), mg/l	2.58	1.8	2.19	1.22	5.41	25.2	Not more than 0.5
Permanganate index, mg/l O ₂	4.09	3.39	4.02	2.98	1.65	< 0.5	2.0–6.5
Bromide, mg/l Br	81.8	52.5	46.2	46	47.5	270	From 1.5 to 2.0 mg/l when mineral water is diluted with fresh water in mineral water or seawater pools

treatment of rheumatic diseases, respiratory diseases, mental stress, and other conditions. The benefits expected from the tested mineral water are summarized in Table 6.

Certainly, the thermal mineral water of the western part of Lithuania (Fig. 1) with more than 150 g/l mineralization can be highly beneficial for human health and well-being. Unfortunately, these natural mineral water resources are underutilized in SPAs. The physical properties and chemical effects of thermal mineral water therapy may play an important role in the treatment of various diseases. Warm or hot mineral water can have numerous positive effects: muscle relaxation and pain relief, improved circulation, reduced stress and tension, and enhanced skin condition. Mineral water can positively affect the skin and improve its condition and appearance. Warm or hot mineral water can help reduce muscle tension, alleviate joint pain, and improve mobility, which is particularly important for people suffering from joint diseases or engaging in intense physical activity. Warm temperatures can help dilate blood vessels and improve blood circulation, potentially reducing blood pressure and enhancing overall circulation. Warm mineral water can also help reduce stress, alleviate mental tension, and improve overall mood due to its calming and relaxing effects. Overall, thermal stress has an immunosuppressive effect, and immersion in thermal mineral water therapy has numerous physiological effects, causing changes in the neuro-immuno-endocrine system (Fioravaniti *et al.* 2012).

The main criteria in the assessment of natural mineral water are not only the confirmation of their original chemical purity and quality but also their beneficial effects on human health. In many European countries, hydrotherapy, balneotherapy using mineral water is widely used, it is included in the national health systems; in other countries it is distinguished as a type of complementary medicine or does not be-

long to either traditional or complementary medicine, it is used only in the field of wellness. Thus, various SPA treatments using natural resources, such as mineral or geothermal water could help restore or improve human physical and mental health.

CONCLUSIONS

Lithuanian mineral waters are characterized by high mineralization and unique chemical composition, making them suitable for extensive use in balneology. Their composition meets and exceeds many European and local health standards, making them valuable for both therapeutic and scientific applications.

Mineral waters and their use for human health have deep traditions in Lithuania, as a green country with rich natural resources. Mineral water used in Lithuanian medical SPAs is highly mineralized sodium chloride mineral water with significant calcium, magnesium, and sulphate. The tested mineral water is claimed to be effective against chronic diseases and could be used for the complementary treatment of nervous, rheumatic, skin, respiratory, cardiovascular, and metabolic disorders. In Lithuania, part of the natural mineral water has been scientifically proven as beneficial for the prevention and treatment of various conditions so it can be considered curative.

Research findings suggest that the thermal mineral waters (with mineralization > 150 g/l) found in SPA centres in the western part of Lithuania can provide significant health benefits, as indicated by their primary biological functions and applications in balneotherapy. However, their thermal properties are currently practically unused.

This study could increase the interest of scientists in a deeper study of these highly mineralized sodium chloride (salt) mineral waters with significant calcium, magnesium, and sulphate and other distinctive

Table 6 The main biological functions of the chemical elements and mineral substances found in the studied waters and possible application. Compiled by the authors according to Lithuanian SPA Research Centre (2008), Gomes (2013), and Quattrini *et al.* (2016)

Chemical elements and mineral substance	Main biological function in body (oral and/or external use)	Possible applications	Centres sorted by ascending amount of mineral substance
Chloride	<ul style="list-style-type: none"> – increases the secretion of stomach (hydrochloric acid formation) and pancreas, – balance of intestine, bile ducts, and liver, – reduces blood glucose level, – laxative effect, – increases skin circulation, – reduces inflammation, – maintains electrolyte balance, – controls muscle contraction and nerve conduction 	Inflammatory skin diseases Rheumatic diseases Nervous disorders Digestive tract diseases (oral) Respiratory diseases (COPD, saltwater inhalations) (Khaltayev <i>et al.</i> 2020)	6, 1, 2, 4, 3, 5
Sodium	<ul style="list-style-type: none"> – regulates cell permeability, – regulates body fluids, – stimulates and cleanses the lymphatic system and helps with arthritis 	Nervous disorders Inflammatory skin diseases Intense physical activity Respiratory diseases	6, 1, 2, 5, 3, 4
Calcium	<ul style="list-style-type: none"> – regulate bone, teeth development, – regulates muscle contraction and myocardium activity, nerve impulses transmission, – important for blood clotting, – regulates cell permeability, – necessary for epithelization, basal layer keratinocyte differentiation, regulates skin barrier homeostasis 	Rheumatic diseases (Fioravanti <i>et al.</i> 2012; Gáti <i>et al.</i> 2018) Nervous disorders Inflammatory skin diseases Atopic dermatitis (Huang <i>et al.</i> 2018) Psoriasis Cardiovascular disorders (hypertension) Mental status improvement (Zámbó <i>et al.</i> 2008) Wound healing Beneficial for adolescents, pregnant women, subjects who do not consume dairy products, elderly	6, 1, 2, 4, 3, 5
Sulphur	<ul style="list-style-type: none"> – detoxifying agent, – reduces purulent process, – stabilizes metabolic reactions, glucose levels, and gastric secretion, – reduces allergies, – stimulates nervous reactions, – keratoplastic activity (hair, nail, cartilage, ligaments, tendons), – anti-inflammatory action, – antipruritic activity, – lightly laxative 	Rheumatic diseases Peripheral nerve injury Inflammatory skin reactions Allergic skin diseases Skin diseases (psoriasis) Atopic, contact dermatitis, acne Wound healing (Davinelli <i>et al.</i> 2019) Mental status improvement Digestive tract diseases (oral) Respiratory diseases (inhaled) (Khaltayev <i>et al.</i> 2020)	1, 4, 5, 2, 3, 6
Magnesium	<ul style="list-style-type: none"> – important for bone formation, – regulates nervous and muscular activities, – regulates lipid metabolism and protein synthesis, – regulates the passage of chemical elements through membranes, replication, – promote digestion, – regulates skin restoration, barrier function, – regulates nerve and muscle functioning, – supports hormone levels, – cardiovascular protection activities, – pain management 	Nervous disorders Rheumatic disorders Mental stress Skin diseases (inflammatory, atopic, contact dermatitis, psoriasis) Digestive tract disorders	6, 4, 1, 3, 2, 5
Potassium	<ul style="list-style-type: none"> – regulates muscles and myocardium activities, lower blood pressure, – acts on neuromuscular excitability, – regulates acid-base balance, – maintains fluid balance, eliminates body toxins, – nourishes skin 	Rheumatic diseases Nervous diseases Cardiovascular diseases Inflammatory skin diseases Atopic dermatitis Psoriasis	6, 5, 1, 3, 4, 2

Chemical elements and mineral substance	Main biological function in body (oral and/or external use)	Possible applications	Centres sorted by ascending amount of mineral substance
Bromide	<ul style="list-style-type: none"> – decreases the sensitivity of the central nervous system, – important for collagen development 	Nervous diseases Inflammatory skin diseases Atopic dermatitis Psoriasis May improve the health of patients on dialysis or total parenteral nutrition	6, 1, 2, 5, 3, 4
Bicarbonate	<ul style="list-style-type: none"> – stimulates secretion of sputum, – promote digestion, – reduces cholesterol, – alkalizes urine and blood, – improving peripheral circulation, lowering blood pressure, – better glycaemic control (consumed) (Murakami <i>et al.</i> 2015), – improved mental stress, sleep quality, and immune function (Ushikoshi-Nakayama <i>et al.</i> 2024), – pain management (Gáti <i>et al.</i> 2018), (Fioravanti <i>et al.</i> 2012) (bathed) 	Digestive tract disorders Metabolic disorders (gout, uremia, diabetes) Urinary disorders Nervous diseases Mental stress Sleep quality Cardiovascular diseases Skin problems	5, 3, 2, 1, 4, 6
Silica	<ul style="list-style-type: none"> – increase in bone density, – help make collagen for skin integrity, cartilage, tendons, – supports immune response, control inflammation, – orthosilicic acid is found in numerous tissues including bone, tendons, aorta, liver and kidney (Martin 2007) 	Skin lesions (chronic wounds, ulcers, and abscesses) Atopic, contact dermatitis Psoriasis Rheumatic disorders Immunity problem	3, 2, 5, 1, 6
Boron	Might be beneficial for <ul style="list-style-type: none"> – reproduction and development, – calcium metabolism, bone formation, – brain function, – insulin and energy substrate metabolism, – immunity, and the function of steroid hormones (vitamin D, estrogen) (ODS 2022) 	Rheumatic diseases Nervous diseases Metabolic disorders	6, 5, 3, 1, 2
Ferrum	<ul style="list-style-type: none"> – essential for blood production, – supports healthy skin, nail, hair (procollagen-proline oxidase), – increases resistance to stress and diseases, – helps convert blood sugar to energy, – important for the immune system, – aids cognitive function, – pain management, specifically gynecological pain, improvement of mental status 	Ferodeficient anemia Skin, hair, nail disorders Immunodeficiency Mental stress	1, 6, 2, 4, 3, 5
Manganese	<ul style="list-style-type: none"> – important for the synthesis of several enzymes involved in the metabolism of proteins, fats and sugars, – important for bone development, – may give protection against oxygen-free radicals, – nourishes the nerve cells 	Metabolic diseases Rheumatic diseases Nervous diseases Atopic dermatitis Contact dermatitis Psoriasis	1, 2, 4, 6, 3, 5

qualities of Lithuanian mineral water for the treatment of specific diseases and their inclusion in the list of medicinal mineral water resources in Lithuania. The natural resources of mineral water with varied physical–chemical characteristics can offer new opportunities for their hydrological and therapeutic exploitation. They are also consistent with the existing trajectory of WHO priorities in investments for environment and health cohesion, which can lead to a significant reduction in the burden of diseases and enable better health and well-being for all (WHO 2009). It is necessary to continue scientific research in the field of balneology with the analysis of the composi-

tion of natural resources and their impact on human health.

As the utilization of mineral water represents a beneficial form of natural therapy, gaining a deeper understanding of their composition, uniqueness, and potential health effects leads to a more effective mineral water use in the development of medical SPA services.

By comparing these results to the established standards, we can affirm that Lithuanian mineral waters meet and often exceed the criteria for medicinal waters, making them valuable for both therapeutic use and further scientific study.

Author Contributions: Conceptualization, R.L., Š.D., D.I.; Methodology, R.L., R.J., D.I., Š.D.; Investigation, R.L., R.J., V.E., Š.D., R.A., K.G., B.A., D.I.; Writing – original draft preparation, L.R., R.J., Š.D., I.D.; Writing – review and editing L.R., V.E., I.D. All authors have read and agreed to the published version of the manuscript.

ACKNOWLEDGMENTS

This research received funding from the Research Council of Lithuania Project “Effectiveness and safety of the use of Lithuania’s unique natural resources for improving the mental and physical health of the organism experiencing stress” (LUGISES) / S-REP-22-6). We thank the reviewers for their valuable comments and suggestions, which have helped improve the quality of this publication. We also extend our gratitude to the sanatoriums and SPA centres: “Gradiali”, “Draugystė”, “Tulpė”, “Versmė”, “Atostogų parkas”, and “Eglė” for their cooperation and for providing the opportunity to conduct practical tests of mineral water in balneological therapy.

REFERENCES

Antonelli, M., Donelli, D., Veronesi, L., Vitale, M., Pasquarella, C. 2021. Clinical efficacy of medical hydrology: an umbrella review. *International Journal of Biometeorology* 65, 1597–1614.

Cacciapuoti, S., Luciano, M.A., Megna, M., Annunziata, M.C., Napolitano, M., Patruno, C., Scala, E., Colicchio, R., Pagliuca, C., Salvatore, P., Fabbrocini, G. 2020. The Role of Thermal Water in Chronic Skin Diseases Management: A Review of the Literature. *Journal of clinical medicine* 9 (9), 3047.

Casado, Á., Ramos, P., Rodríguez, J., Moreno, N., Gil, P. 2015. Types and characteristics of drinking water for hydration in the elderly. *Critical reviews in food science and nutrition* 55(12), 1633–1641.

Costantino, M., Izzo, V., Conti, V., Manzo, V., Guida, A., Filippelli, A. 2019. Sulphate mineral water: A medical resource in several disorders. *Journal of traditional and complementary medicine* 10 (4), 320–326.

Davinelli, S., Bassetto, F., Vitale, M., Scapagnini, G. 2019. Thermal Waters and the Hormetic Effects of Hydrogen Sulfide on Inflammatory Arthritis and Wound Healing. In: Rattan, S.I.S., Kyriazis, M. (eds). *The Science of Hormesis in Health and Longevity*. Academic Press, Chapter 10, 121–126.

Falagas, M.E., Zarkadoulia, E., Rafailidis, P.I. 2009. The therapeutic effect of balneotherapy: evaluation of the evidence from randomised controlled trials. *International journal of clinical practice* 63 (7), 1068–1084.

Fioravanti, A., Giannitti, C., Bellisai, B., Iacoponi, F., Galeazzi, M. 2012. Efficacy of balneotherapy on pain, function and quality of life in patients with osteoarthritis of the knee.

International journal of biometeorology 56, 583–590.

Fioravanti, A., Karagülle, M., Bender, T., Karagülle, M.Z. 2017. Balneotherapy in osteoarthritis: Facts, fiction and gaps in knowledge. *European Journal of Integrative Medicine* 9, 148–150.

Gálvez, I., Torres-Piles, S., Ortega-Rincón, E. 2018. Balneotherapy, Immune System, and Stress Response: A Hormetic Strategy? *International journal of molecular sciences* 19 (6), 1687.

Gáti, T., Tefner, I.K., Kovács, L., Hodosi, K., Bender, T. 2018. The effects of the calcium-magnesium-bicarbonate content in thermal mineral water on chronic low back pain: a randomized, controlled follow-up study. *International journal of biometeorology* 62, 897–905.

Gebretsadik, A. 2023. Effect of Balneotherapy on Skin Lesion at Hot Springs in Southern Ethiopia: A Single-Arm Prospective Cohort Study. *Clinical, Cosmetic and Investigational Dermatology* 16, 1259–1268.

Gomes, C.D.S.F. 2013. Naturotherapies Based on Minerals. *Geomaterials* 13 (1), 1–14.

Grigelis, A., Kadūnas, V. (comp.) 1994. *Lithuanian Geology*. Science and Encyclopaedia Publishing House, Vilnius, 447 pp. [In Lithuanian].

Gutenbrunner, C., Bender, T., Cantista, P., Karagülle, Z. 2010. A proposal for a worldwide definition of health resort medicine, balneology, medical hydrology and climatology. *International Journal of Biometeorology* 54, 495–507.

Huang, A., Seitė, S., Adar, T. 2018. The use of balneotherapy in dermatology. *Clinics in dermatology* 36 (3), 363–368.

Juodkakis, V. 1992. *Basics of methodology for groundwater resources assessment*. Textbook for higher education institution. Mokslas, Vilnius, 213 pp. [In Lithuanian].

Kadūnas, K., Pūtys, P., Gedžiūnas, P. 2018. *Groundwater of Lithuania. Hydrogeological Atlas*. Vilnius University, Lithuanian Geological Survey, Vilnius, 173 pp.

Kardes, S., Karagülle, M. 2020. Pathophysiological Mechanisms of Balneotherapy with Potential Implications for Central Asian Spas and Sanatoriums. *Central Asian Journal of Medical Hypotheses and Ethics* 1 (2), 131.

Khaltaev, N., Solimene, U., Vitale, F., Zanasi, A. 2020. Balneotherapy and hydrotherapy in chronic respiratory disease. *Journal of thoracic disease* 12 (8), 4459.

Komatina, M. 2004. *Medical geology: effects of geological environments on human health*. Elsevier, 502 pp.

Korczak, M., Owczarek, J. 2014. The healing properties of sulphurous waters. *Acta Balneologica* 2, 106–108.

Linc, R., Pantea, E., Șerban, E., Ciurba, A.P., Șerban, G. 2023. Hydrochemical and Microbiological Investigations and the Therapeutic Potential of Some Mineral water from Bihor County, Romania. *Sustainability* 15 (21), 15640.

Martin, K.R. 2007. The chemistry of silica and its potential health benefits. *The Journal of Nutrition Health and Aging* 11 (2), 94–98.

Murakami, S., Goto, Y., Ito, K., Hayasaka, S., Kurihara, S.,

- Soga, T., Tomita, M., Fukuda, S. 2015. The Consumption of Bicarbonate-Rich Mineral Water Improves Glycemic Control. *Evidence-Based Complementary and Alternative Medicine* 2015, article ID 824395, 1–10.
- Proksch, E., Nissen, H.-P., Bremsgartner, M., Urquhart, C. 2005. Bathing in a magnesium-rich Dead Sea salt solution improves skin barrier function, enhances skin hydration, and reduces inflammation in atopic dry skin. *International journal of dermatology* 44 (2), 151–157.
- Quattrini, S., Pampaloni, B., Brandi, M.L. 2016. Natural mineral waters: chemical characteristics and health effects. *Clinical Cases in Mineral and Bone Metabolism* 13 (3), 173–180.
- Rapoliene, L., Razbadauskas, A., Sąlyga, J., Martinkeenas, A. 2016. Stress and Fatigue Management Using Balneotherapy in a Short-Time Randomized Controlled Trial. *Evidence-Based Complementary and Alternative Medicine* 2016 (4), article ID 9631684, 1–10.
- Stier-Jarmer, M., Kus, S., Frisch, D., Sabariego, C., Schuh, A. 2015. Health resort medicine in non-musculoskeletal disorders: is there evidence of its effectiveness? *International journal of biometeorology* 59, 1523–1544.
- Ushiko-shi-Nakayama, R., Yamazaki T., Omagari D., Matsumoto N., Inoue H., Nukuzuma C., Nishino, S., Saito, I. 2024. Evaluation of the benefits of neutral bicarbonate ionized water baths in an open-label, randomized, crossover trial. *Scientific Reports* 14 (1), 1261.
- Valeriani, F., Margarucci, L.M., Romano Spica, V. 2018. Recreational Use of Spa Thermal Waters: Criticisms and Perspectives for Innovative Treatments. *International journal of environmental research and public health* 15 (12), 2675.
- Van der Aa, M. 2003. Classification of mineral water types and comparison with drinking water standards. *Environmental geology* 44 (5), 554–563.
- Varga, C. 2010. Problems with classification of spa waters used in balneology. *Health* 2 (11), 1260–1263.
- Ziemska, J., Szynal, T., Mazańska, M., Solecka, J. 2019. Natural medicinal resources and their therapeutic applications. *Roczniki Państwowego Zakładu Higieny* 70 (4), 407–413.
- Internet sources:**
- ESPA (European Spas Association). Quality Criteria of the European Spas Association (ESPA) Adopted unanimously during the General Assembly 2006 in São Pedro do Sul (P): <https://europeanspas.eu/wp-content/uploads/2022/12/ESPA-quality-criteria.pdf> (accessed 3 January 2024).
- European Legislation, 2009. Directive 2009/54/EC of the European Parliament and of the Council of 18 June 2009 on the exploitation and marketing of natural mineral water: <https://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2009:164:0045:0058:EN:PDF> (accessed 3 January 2024).
- https://www.researchgate.net/publication/378972116_Lietuvos_gamtiniu_istekliu_ir_juos_gydymui_bei_sveikatinimui_naudojanciu_centru_ir_kurortu_ZEMELAPIS#fullTextFileContent
- ISO (the International Organization for Standardization). 2009. Water quality – Determination of permanganate index: <https://www.iso.org/obp/ui/fr/#iso:std:iso:8467:ed-2:v1:en> (accessed 2 January 2024).
- Rapolienė L., Vasiliauskienė E., Šliaupa S., Dailidienė I., Valiukas D., Martinkėnas A., Bredelytė A. 2024. MAP of Lithuania’s natural resources and centers and resorts that use them for treatment and wellness. Klaipėda University Press, 23 pp. [In Lithuanian]. https://www.researchgate.net/publication/378972116_Lietuvos_gamtiniu_istekliu_ir_juos_gydymui_bei_sveikatinimui_naudojanciu_centru_ir_kurortu_ZEMELAPIS#fullTextFileContent
- V-572. 2005. Regarding the Lithuanian hygiene norm HN 109:2005 Swimming pools. Health safety requirements for installation and maintenance. <https://e-seimas.lrs.lt/portal/legalAct/lt/TAD/TAIS.259868?jfwid=>(accessed 2 January 2024). (In Lithuanian)
- V-758. 2003. Regarding the Lithuanian hygiene norm HN 28:2003. Requirements for the use and placing on the market of natural mineral water and spring water. <https://e-seimas.lrs.lt/portal/legalAct/lt/TAD/TAIS.224941?jfwid=rivwzvpvg> (accessed 2 January 2024). (In Lithuanian)
- V-1077. 2010. Regarding the Lithuanian hygiene norm HN 127:2010. Mineral and sea water for external use. Health and safety requirements. <https://e-seimas.lrs.lt/portal/legalAct/lt/TAD/TAIS.389746?jfwid> (accessed 2 January 2024). (In Lithuanian)
- Lithuanian SPA Research Centre. 2008. Standardized methodological recommendations for the use of mineral water in Lithuanian SPAs for health, prevention, treatment and rehabilitation purposes. <https://www.slideserve.com/shima/v-lietuvos-kurortologijos-tyrim-centras> (accessed 2 January 2024).
- WHO. 2009. Bromide in drinking-water. https://cdn.who.int/media/docs/default-source/wash-documents/wash-chemicals/bromide-background.pdf?sfvrsn=b6bc4478_4#:~:text=Concentrations%20of%20bromide%20in%20fresh,from%20grains%2C%20nuts%20and%20fish (accessed 2 January 2024).